



STYLE ARC SEWING KEY


Below you will find interpretation of all lines and marking you will see on your Style Arc pattern pack

	<p>On each pattern piece you will see a solid line and a dashed line.</p>
	<p>SOLID LINE Cutting line</p> <p>DASHED LINE Seam allowance, which are generally 1cm (3/8") or 6mm (1/4") at internal seams such as necklines.</p>


<p>3 15/16" X 3 15/16" 10CM X 10CM</p> <p>TEST SQUARE ALL SIZES</p> <p>10CM</p> <p>10CM</p>	<p>TEST SQUARE</p> <p>If you are printing a PDF pattern at home or at a copy shop, the test square must measure 10 x 10cm (3 15/16" x 3 15/16") for the pattern to be scaled correctly.</p>
---	--

<p>ONESIE_KNIT_WOMENS_PP3 </p> <p>10 12 14 16 18 20 22</p> <p>FRONT LEG CUT 1 PAIR MAIN</p> 	<p>Sizes are shown in the middle of each pattern piece. In a multi size pattern, the colours correspond to the coloured cutting lines and seam allowances for each size. E.g.: size 10 size lines are green.</p>
---	--






Notches are indicated by this symbol. Clip to align with the notches while sewing to assist with construction.




Place this line on the folded edge of your fabric.



STRAIGHT GRAIN

Place the arrow on the pattern along the straight grain of the fabric.



Centre front of the garment.





C/BK

Centre back of the garment.




SIDE SEAM


Side seam of the garment.



S/S



Usually on a V neckline.
Finish sewing the centre front/back
seam at this marking.



DART MARKING


Fold the fabric with right sides facing, matching the 2 notches. The + is the drill hole, sew to the marked pointed end 2cm (3/4") past the drill hole. Don't backstitch when you finish sewing, tie a knot instead.



	<p>Maximum stretch indicates where to place your pattern piece in regards to the stretch of your fabric. Maximum stretch generally goes around the body.</p>
<p>MAXIMUM STRETCH</p>	





<p>LENGTHEN/SHORTEN</p>	<p>The best place to shorten/lengthen the pattern.</p>
<p>SHORTENING/LENGTHENING LINE</p>	


	<p>Fold along this line (usually used for waistbands, neckbands, binds and cuffs).</p>
<p>FOLD LINE</p>	



<p>ZIP</p>	<p>Zip is inserted in this section.</p>
<p>ATTACH ZIP</p>	








DOUBLE TURN


Turn this seam in twice.

R.S. UP


Cut this pattern piece with your fabric and pattern piece right side up.



Button/buttonhole.
Button is sewn slightly towards to front of the buttonhole.



Clip into this section to release the corner of the fabric.



7 SHIRRING ROWS

Shirring markings, sew along these lines with elastic wound onto the bobbin.





NEATEN EDGE

Neaten can mean to overlock/serge the edge or double turn, depending on your preference.



PLEAT DIRECTION

Fold the pleat in the marked direction.



TUCK 5 TUCK 4 TUCK 3 TUCK 2 TUCK 1

Guide for how to sew tucks, + marks the middle of the tuck.



MITRE

Indicates a mitred corner. Check out the **Mitred Corner tutorial on stylearc.com** to learn how to sew this type of corner.

